

# FMN2 Antibody (monoclonal) (M02)

Mouse monoclonal antibody raised against a partial recombinant FMN2. Catalog # AT2076a

### **Product Information**

Application WB, E
Primary Accession Q9NZ56
Other Accession BC014364
Reactivity Human
Host mouse
Clonality monoclonal
Isotype IgG2b Kappa

Clone Names 4B8 Calculated MW 180106

## **Additional Information**

**Gene ID** 56776

Other Names Formin-2, FMN2

Target/Specificity FMN2 (AAH14364.2, 144 a.a. ~ 243 a.a) partial recombinant protein with GST

tag. MW of the GST tag alone is 26 KDa.

**Dilution** WB~~1:500~1000 E~~N/A

**Format** Clear, colorless solution in phosphate buffered saline, pH 7.2.

**Storage** Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

**Precautions** FMN2 Antibody (monoclonal) (M02) is for research use only and not for use in

diagnostic or therapeutic procedures.

## **Background**


Formin homology (FH) domain proteins (see FMN1; MIM 136535) play a role in cytoskeletal organization and/or establishment of cell polarity.

### References

Variation at the NFATC2 Locus Increases the Risk of Thiazolinedinedione-Induced Edema in the Diabetes REduction Assessment with ramipril and rosiglitazone Medication (DREAM) Study. Bailey SD, et al. Diabetes Care, 2010 Jul 13. PMID 20628086.Personalized smoking cessation: interactions between nicotine dose, dependence and quit-success genotype score. Rose JE, et al. Mol Med, 2010 Jul-Aug. PMID 20379614.Genetic variants identified in a European genome-wide association study that were found to predict incident

coronary heart disease in the atherosclerosis risk in communities study. Bressler J, et al. Am J Epidemiol, 2010 Jan 1. PMID 19955471.Gene-centric association signals for lipids and apolipoproteins identified via the HumanCVD BeadChip. Talmud PJ, et al. Am J Hum Genet, 2009 Nov. PMID 19913121.Follow-up examination of linkage and association to chromosome 1q43 in multiple sclerosis. McCauley JL, et al. Genes Immun, 2009 Oct. PMID 19626040.


## **Images**



Western Blot analysis of FMN2 expression in transfected 293T cell line by FMN2 monoclonal antibody (M02), clone 4B8.

Lane 1: FMN2 transfected lysate (Predicted MW: 11.11 KDa).

Lane 2: Non-transfected lysate.



Detection limit for recombinant GST tagged FMN2 is approximately 0.3ng/ml as a capture antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.