

GSTZ1 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a partial recombinant GSTZ1. Catalog # AT2284a

Product Information

ApplicationWB, IFPrimary AccessionO43708Other AccessionNM 145870

Reactivity Human, Mouse, Rat

HostmouseClonalitymonoclonalIsotypeIgG2b Kappa

Clone Names 1G12 Calculated MW 24212

Additional Information

Gene ID 2954

Other Names Maleylacetoacetate isomerase, MAAI, GSTZ1-1, Glutathione S-transferase zeta

1, GSTZ1, MAAI

Target/Specificity GSTZ1 (NP_665877, 109 a.a. ~ 216 a.a) partial recombinant protein with GST

tag. MW of the GST tag alone is 26 KDa.

Dilution WB~~1:500~1000 IF~~1:50~200

Format Clear, colorless solution in phosphate buffered saline, pH 7.2.

Storage Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions GSTZ1 Antibody (monoclonal) (M01) is for research use only and not for use in

diagnostic or therapeutic procedures.


Background

This gene is a member of the glutathione S-transferase (GSTs) super-family which encodes multifunctional enzymes important in the detoxification of electrophilic molecules, including carcinogens, mutagens, and several therapeutic drugs, by conjugation with glutathione. This enzyme also plays a significant role in the catabolism of phenylalanine and tyrosine. Thus defects in this enzyme may lead to severe metabolic disorders including alkaptonuria, phenylketonuria and tyrosinaemia. Several transcript variants of this gene encode multiple protein isoforms.


References


Polymorphisms in GSTT1, GSTZ1, and CYP2E1, Disinfection Byproducts, and Risk of Bladder Cancer in Spain. Cantor K, et al. Environ Health Perspect, 2010 Jul 30. PMID 20675267.A Large-scale genetic association study of esophageal adenocarcinoma risk. Liu CY, et al. Carcinogenesis, 2010 Jul. PMID 20453000.Preliminary examination of polymorphisms of GSTM1, GSTT1, and GSTZ1 in relation to semen quality. Olshan AF, et al. Mutat Res, 2010 Jun 1. PMID 20214911.Human variation in alcohol response is influenced by variation in neuronal signaling genes. Joslyn G, et al. Alcohol Clin Exp Res, 2010 May. PMID 20201926.Glutathione pathway genetic polymorphisms and lung cancer survival after platinum-based chemotherapy. Moyer AM, et al. Cancer Epidemiol Biomarkers Prev, 2010 Mar. PMID 20200426.

Images



GSTZ1 monoclonal antibody (M01), clone 1G12. Western Blot analysis of GSTZ1 expression in NIH/3T3((Cat # AT2284a)






Western Blot analysis of GSTZ1 expression in transfected 293T cell line by GSTZ1 monoclonal antibody (M01), clone 1G12.

Lane 1: GSTZ1 transfected lysate (Predicted MW: 24.1 KDa).

Lane 2: Non-transfected lysate.



Immunofluorescence of monoclonal antibody to GSTZ1 on HepG2 cell. [antibody concentration 10 ug/ml]

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.