

HAL Antibody (monoclonal) (M04)

Mouse monoclonal antibody raised against a partial recombinant HAL.

Catalog # AT2311a

Product Information

Application	WB, IP
Primary Accession	P42357
Other Accession	NM_002108
Reactivity	Human
Host	mouse
Clonality	monoclonal
Isotype	IgG2a Kappa
Clone Names	4F2
Calculated MW	72698

Additional Information

Gene ID	3034
Other Names	Histidine ammonia-lyase, Histidase, HAL, HIS
Target/Specificity	HAL (NP_002099, 558 a.a. ~ 658 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Dilution	WB~~1:500~1000 IP~~N/A
Format	Clear, colorless solution in phosphate buffered saline, pH 7.2 .
Storage	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Precautions	HAL Antibody (monoclonal) (M04) is for research use only and not for use in diagnostic or therapeutic procedures.

Background


Histidine ammonia-lyase is a cytosolic enzyme catalyzing the first reaction in histidine catabolism, the nonoxidative deamination of L-histidine to trans-urocanic acid. Histidine ammonia-lyase defects cause histidinemia which is characterized by increased histidine and histamine and decreased urocanic acid in body fluids

References


1.Increased Sensitivity of Histidinemic Mice to UVB Radiation Suggests a Crucial Role of Endogenous Urocanic Acid in Photoprotection.Barresi C, Stremnitzer C, Mlitz V, Kezic S, Kammeyer A, Ghannadan M, Posa-Markaryan K, Selden C, Tschachler E, Eckhart LJ Invest Dermatol. 2010 Aug 5. [Epub ahead of

print]2.Histidase expression in human epidermal keratinocytes: Regulation by differentiation status and all-trans retinoic acid.Eckhart L, Schmidt M, Mildner M, Mlitz V, Abtin A, Ballaun C, Fischer H, Mrass P, Tschachler E.J Dermatol Sci. 2008 Jun;50(3):209-15. Epub 2008 Feb 15.

Images




Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (37.11 KDa) .



Western Blot analysis of HAL expression in transfected 293T cell line by HAL monoclonal antibody (M04), clone 4F2.

Lane 1: HAL transfected lysate(72.698 KDa).
Lane 2: Non-transfected lysate.



Immunoprecipitation of HAL transfected lysate using anti-HAL monoclonal antibody and Protein A Magnetic Bead ([U0007](#)), and immunoblotted with HAL MaxPab rabbit polyclonal antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.