

HIST1H3D Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a partial recombinant HIST1H3D.

Catalog # AT2374a

Product Information

Application	WB, IHC, IF
Primary Accession	P68431
Other Accession	NM_003530
Reactivity	Human, Mouse
Host	Mouse
Clonality	monoclonal
Isotype	IgG3 Kappa
Clone Names	1D8
Calculated MW	15404

Additional Information

Gene ID	8350;8351;8352;8353;8354;8355;8356;8357;8358;8968
Other Names	Histone H31, Histone H3/a, Histone H3/b, Histone H3/c, Histone H3/d, Histone H3/f, Histone H3/h, Histone H3/i, Histone H3/j, Histone H3/k, Histone H3/l, HIST1H3A, H3FA
Target/Specificity	HIST1H3D (NP_003521, 1 a.a. ~ 60 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Dilution	WB~~1:500~1000 IHC~~1:100~500 IF~~1:50~200
Format	Clear, colorless solution in phosphate buffered saline, pH 7.2 .
Storage	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Precautions	HIST1H3D Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.


Background

Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. This gene is intronless and encodes a member of the histone H3 family. Transcripts from this gene lack polyA tails but instead contain a palindromic termination element. This gene is found in the large histone gene cluster on chromosome 6.


References

1. Protective Effect of Caffeic Acid on Paclitaxel Induced Anti-Proliferation and Apoptosis of Lung Cancer Cells Involves NF- κ B Pathway. Lin CL, Chen RF, Chen YF, Chu YC, Wang HM, Chou HL, Chang WC, Fong Y, Chang WT, Wu CY, Chiu CC. Int. J. Mol. Sci. 2012, 13, 6236-6245


Images




Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (32.34 KDa) .




HIST1H3D monoclonal antibody (M01), clone 1D8
Western Blot analysis of HIST1H3D expression in HeLa S3
NE ((Cat # AT2374a)




HIST1H3D monoclonal antibody (M01), clone 1D8.
Western Blot analysis of HIST1H3D expression in Raw
264.7 ((Cat # AT2374a)



HIST1H3D monoclonal antibody (M01), clone 1D8.
Western Blot analysis of HIST1H3D expression in NIH/3T3
((Cat # AT2374a)



Immunoperoxidase of monoclonal antibody to HIST1H3D on formalin-fixed paraffin-embedded human lateral ventricle wall. [antibody concentration 3 ug/ml]



Immunofluorescence of monoclonal antibody to HIST1H3D on HeLa cell. [antibody concentration 10 ug/ml]

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.