

# IL11RA Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a full length recombinant IL11RA. Catalog # AT2501a

### **Product Information**

**Application** WB, E **Primary Accession** Q14626 BC003110 **Other Accession** Reactivity Human Host mouse Clonality monoclonal Isotype IgG2a kappa **Clone Names** 2D4-F4 Calculated MW 45222

### **Additional Information**

**Gene ID** 3590

Other Names Interleukin-11 receptor subunit alpha, IL-11 receptor subunit alpha, IL-11R

subunit alpha, IL-11R-alpha, IL-11RA, IL11RA

Target/Specificity IL11RA (AAH03110, 1 a.a. ~ 422 a.a) full-length recombinant protein with GST

tag. MW of the GST tag alone is 26 KDa.

**Dilution** WB~~1:500~1000 E~~N/A

**Format** Clear, colorless solution in phosphate buffered saline, pH 7.2.

**Storage** Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

**Precautions** IL11RA Antibody (monoclonal) (M01) is for research use only and not for use

in diagnostic or therapeutic procedures.


## **Background**

Interleukin 11 is a stromal cell-derived cytokine that belongs to a family of pleiotropic and redundant cytokines that use the gp130 transducing subunit in their high affinity receptors. This gene encodes the IL-11 receptor, which is a member of the hematopoietic cytokine receptor family. This particular receptor is very similar to ciliary neurotrophic factor, since both contain an extracellular region with a 2-domain structure composed of an immunoglobulin-like domain and a cytokine receptor-like domain. Alternative splicing has been observed at this locus, and three variants encoding two different isoforms have been identified.


#### References

Variation at the NFATC2 Locus Increases the Risk of Thiazolinedinedione-Induced Edema in the Diabetes REduction Assessment with ramipril and rosiglitazone Medication (DREAM) Study. Bailey SD, et al. Diabetes Care, 2010 Jul 13. PMID 20628086.Polymorphisms in innate immunity genes and risk of childhood leukemia. Han S, et al. Hum Immunol, 2010 Jul. PMID 20438785.Risk of meningioma and common variation in genes related to innate immunity. Rajaraman P, et al. Cancer Epidemiol Biomarkers Prev, 2010 May. PMID 20406964.Gene-centric association signals for lipids and apolipoproteins identified via the HumanCVD BeadChip. Talmud PJ, et al. Am J Hum Genet, 2009 Nov. PMID 19913121.Common variation in genes related to innate immunity and risk of adult glioma. Rajaraman P, et al. Cancer Epidemiol Biomarkers Prev, 2009 May. PMID 19423540.


### **Images**



Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (72.16 KDa).



IL11RA monoclonal antibody (M01), clone 2D4-F4 Western Blot analysis of IL11RA expression in Jurkat ( (Cat # AT2501a )



Detection limit for recombinant GST tagged IL11RA is approximately 0.3ng/ml as a capture antibody.

Recombinant ProteinConcentration(ng/ml)

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.