

ING1 Antibody (monoclonal) (M05)

Mouse monoclonal antibody raised against a partial recombinant ING1. Catalog # AT2531a

Product Information

Application WB, E **Primary Accession Q9UK53 Other Accession** NM 198219.1 Reactivity Human Host mouse Clonality monoclonal Isotype IgM Kappa **Clone Names** 2F9 Calculated MW 46738

Additional Information

Gene ID 3621

Other Names Inhibitor of growth protein 1, ING1

Target/Specificity ING1 (NP_937862.1, 41 a.a. ~ 140 a.a) partial recombinant protein with GST

tag. MW of the GST tag alone is 26 KDa.

Dilution WB~~1:500~1000 E~~N/A

Format Clear, colorless solution in phosphate buffered saline, pH 7.2.

Storage Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions ING1 Antibody (monoclonal) (M05) is for research use only and not for use in

diagnostic or therapeutic procedures.

Background


This gene encodes a tumor suppressor protein that can induce cell growth arrest and apoptosis. The encoded protein is a nuclear protein that physically interacts with the tumor suppressor protein TP53 and is a component of the p53 signaling pathway. Reduced expression and rearrangement of this gene have been detected in various cancers. Multiple alternatively spliced transcript variants encoding distinct isoforms have been reported.

References

The inhibitor of growth 1 (ING1) proteins suppress angiogenesis and differentially regulate angiopoietin expression in glioblastoma cells. Tallen G, et al. Oncol Res, 2009. PMID 20066899. Genetic variation in

healthy oldest-old. Halaschek-Wiener J, et al. PLoS One, 2009 Aug 14. PMID 19680556. Nuclear exclusion of p33ING1b tumor suppressor protein: explored in HCC cells using a new highly specific antibody. Sayan B, et al. Hybridoma (Larchmt), 2009 Feb. PMID 19132896. Human inhibitor of growth 1 inhibits hepatoma cell growth and influences p53 stability in a variant-dependent manner. Zhu Z, et al. Hepatology, 2009 Feb. PMID 19085961. Tethering by lamin A stabilizes and targets the ING1 tumour suppressor. Han X, et al. Nat Cell Biol, 2008 Nov. PMID 18836436.


Images



Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (36.74 KDa) .



ING1 monoclonal antibody (M05), clone 2F9 Western Blot analysis of ING1 expression in MCF-7 ((Cat # AT2531a)



Detection limit for recombinant GST tagged ING1 is approximately 0.1ng/ml as a capture antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.