

# KHSRP Antibody (monoclonal) (M09)

Mouse monoclonal antibody raised against a partial recombinant KHSRP. Catalog # AT2609a

#### **Product Information**

Application IHC, E
Primary Accession O92945
Other Accession NM\_003685
Reactivity Human
Host mouse
Clonality monoclonal
Isotype IgG2a Kappa

Clone Names 4H7
Calculated MW 73115

### **Additional Information**

**Gene ID** 8570

Other Names Far upstream element-binding protein 2, FUSE-binding protein 2, KH

type-splicing regulatory protein, KSRP, p75, KHSRP, FUBP2

**Target/Specificity** KHSRP (NP\_003676, 151 a.a. ~ 239 a.a) partial recombinant protein with GST

tag. MW of the GST tag alone is 26 KDa.

**Dilution** IHC~~1:100~500 E~~N/A

**Format** Clear, colorless solution in phosphate buffered saline, pH 7.2.

**Storage** Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

**Precautions** KHSRP Antibody (monoclonal) (M09) is for research use only and not for use

in diagnostic or therapeutic procedures.

## **Background**


The KHSRP gene encodes a multifunctional RNA-binding protein implicated in a variety of cellular processes, including transcription, alternative pre-mRNA splicing, and mRNA localization (Min et al., 1997 [PubMed 9136930]; Gherzi et al., 2004 [PubMed 15175153]).

### References


Antagonistic role of hnRNP A1 and KSRP in the regulation of let-7a biogenesis. Michlewski G, et al. Nat Struct Mol Biol, 2010 Aug. PMID 20639884.Dishevelled-KSRP complex regulates Wnt signaling through post-transcriptional stabilization of beta-catenin mRNA. Bikkavilli RK, et al. J Cell Sci, 2010 Apr 15. PMID

20332102.KSRP-PMR1-exosome association determines parathyroid hormone mRNA levels and stability in transfected cells. Nechama M, et al. BMC Cell Biol, 2009 Sep 23. PMID 19775426.Overexpression of far upstream element binding proteins: a mechanism regulating proliferation and migration in liver cancer cells. Malz M, et al. Hepatology, 2009 Oct. PMID 19585652.The RNA-binding protein KSRP promotes the biogenesis of a subset of microRNAs. Trabucchi M, et al. Nature, 2009 Jun 18. PMID 19458619.

### **Images**



Immunoperoxidase of monoclonal antibody to KHSRP on formalin-fixed paraffin-embedded human esophagus. [antibody concentration 3 ug/ml]



Detection limit for recombinant GST tagged KHSRP is approximately 0.3ng/ml as a capture antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.