

KLF6 Antibody (monoclonal) (M02)

Mouse monoclonal antibody raised against a partial recombinant KLF6. Catalog # AT2633a

Product Information

Application	IF, E
Primary Accession	<u>Q99612</u>
Other Accession	<u>NM_001300</u>
Reactivity	Human
Host	mouse
Clonality	monoclonal
Isotype	IgG1 Kappa
Clone Names	3C4
Calculated MW	31865

Additional Information

Gene ID	1316
Other Names	Krueppel-like factor 6, B-cell-derived protein 1, Core promoter element-binding protein, GC-rich sites-binding factor GBF, Proto-oncogene BCD1, Suppressor of tumorigenicity 12 protein, Transcription factor Zf9, KLF6, BCD1, COPEB, CPBP, ST12
Target/Specificity	KLF6 (NP_001291, 1 a.a. ~ 100 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Dilution	IF~~1:50~200 E~~N/A
Format	Clear, colorless solution in phosphate buffered saline, pH 7.2 .
Storage	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Precautions	KLF6 Antibody (monoclonal) (M02) is for research use only and not for use in diagnostic or therapeutic procedures.

Background

This gene encodes a member of the Kruppel-like family of transcription factors. The zinc finger protein is a transcriptional activator, and functions as a tumor suppressor. Multiple transcript variants encoding different isoforms have been found for this gene, some of which are implicated in carcinogenesis.

References

KLF6 Gene and early melanoma development in a collagen I-rich extracellular environment. Huh SJ, et al. J

Natl Cancer Inst, 2010 Aug 4. PMID 20660366.A Large-scale genetic association study of esophageal adenocarcinoma risk. Liu CY, et al. Carcinogenesis, 2010 Jul. PMID 20453000.New genetic associations detected in a host response study to hepatitis B vaccine. Davila S, et al. Genes Immun, 2010 Apr. PMID 20237496.Nuclear expression of KLF6 tumor suppressor factor is highly associated with overexpression of ERBB2 oncoprotein in ductal breast carcinomas. Gehrau RC, et al. PLoS One, 2010 Jan 28. PMID 20126619.Tumor suppressor activity of KLF6 mediated by downregulation of the PTTG1 oncogene. Lee UE, et al. FEBS Lett, 2010 Mar 5. PMID 20116377.

Images



Immunofluorescence of monoclonal antibody to KLF6 on HeLa cell . [antibody concentration 10 ug/ml]

Detection limit for recombinant GST tagged KLF6 is approximately 0.3ng/ml as a capture antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.