10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

MAK Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a partial recombinant MAK.
Catalog # AT2767a

Product Information

Application	WB, IF
Primary Accession	P20794
Other Accession	BC039825
Reactivity	Human, Mouse, Rat
Host	mouse
Clonality	monoclonal
Isotype	IgG2a Kappa
Clone Names	3E6
Calculated MW	70581

Additional Information

Gene ID	4117
Other Names	Serine/threonine-protein kinase MAK, Male germ cell-associated kinase, MAK
Target/Specificity	MAK (AAH39825, 358 a.a. ~ 457 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Dilution	WB~~1:500~1000 IF~~1:50~200
Format	Clear, colorless solution in phosphate buffered saline, pH 7.2 .
Storage	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Precautions	MAK Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.

Background


The product of this gene is a serine/threonine protein kinase related to kinases involved in cell cycle regulation. It is expressed almost exclusively in the testis, primarily in germ cells. Studies of the mouse and rat homologs have localized the kinase to the chromosomes during meiosis in spermatogenesis, specifically to the synaptonemal complex that exists while homologous chromosomes are paired. There is, however, a study of the mouse homolog that has identified high levels of expression in developing sensory epithelia so its function may be more generalized.

References


Identification of yin-yang regulators and a phosphorylation consensus for male germ cell-associated kinase

(MAK)-related kinase. Fu Z, et al. Mol Cell Biol, 2006 Nov. PMID 16954377.Male germ cell-associated kinase, a male-specific kinase regulated by androgen, is a coactivator of androgen receptor in prostate cancer cells. Ma AH, et al. Cancer Res, 2006 Sep 1. PMID 16951154.Complete sequencing and characterization of 21,243 full-length human cDNAs. Ota T, et al. Nat Genet, 2004 Jan. PMID 14702039.The DNA sequence and analysis of human chromosome 6. Mungall AJ, et al. Nature, 2003 Oct 23. PMID 14574404.Generation and initial analysis of more than 15,000 full-length human and mouse cDNA sequences. Strausberg RL, et al. Proc Natl Acad Sci U S A, 2002 Dec 24. PMID 12477932.


Images



Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (36.41 KDa) .





MAK monoclonal antibody (M01), clone 3E5. Western Blot analysis of MAK expression in PC-12((Cat # AT2767a)




MAK monoclonal antibody (M01), clone 3E5 Western Blot analysis of MAK expression in HepG2 ((Cat # AT2767a)

MAK monoclonal antibody (M01), clone 3E5. Western Blot analysis of MAK expression in Raw 264.7((Cat # AT2767a)





MAK monoclonal antibody (M01), clone 3E5. Western Blot analysis of MAK expression in NIH/3T3((Cat # AT2767a)



Immunofluorescence of monoclonal antibody to MAK on HepG2 cell. [antibody concentration 10 ug/ml]

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.