

MEOX2 Antibody (monoclonal) (M03)

Mouse monoclonal antibody raised against a full length recombinant MEOX2. Catalog # AT2846a

Product Information

Application WB, IHC, IF, E
Primary Accession P50222
Other Accession BC017021

Reactivity Human, Mouse, Rat

HostmouseClonalitymonoclonalIsotypeIgG1 Kappa

Clone Names 6A5 Calculated MW 33594

Additional Information

Gene ID 4223

Other Names Homeobox protein MOX-2, Growth arrest-specific homeobox, Mesenchyme

homeobox 2, MEOX2, GAX, MOX2

Target/Specificity MEOX2 (AAH17021, 1 a.a. ~ 303 a.a) full-length recombinant protein with GST

tag. MW of the GST tag alone is 26 KDa.

Dilution WB~~1:500~1000 IHC~~1:100~500 IF~~1:50~200 E~~N/A

Format Clear, colorless solution in phosphate buffered saline, pH 7.2.

Storage Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions MEOX2 Antibody (monoclonal) (M03) is for research use only and not for use

in diagnostic or therapeutic procedures.


Background

This gene encodes a member of a subfamily of non-clustered, diverged, antennapedia-like homeobox-containing genes. The encoded protein may play a role in the regulation of vertebrate limb myogenesis. Mutations in the related mouse protein may be associated with craniofacial and/or skeletal abnormalities, in addition to neurovascular dysfunction observed in Alzheimer's disease.


References


1.MicroRNA-130a Mediates Proliferation of Vascular Smooth Muscle Cells in Hypertension.Wu WH, Hu CP, Chen XP, Zhang WF, Li XW, Xiong XM, Li YJ.Am J Hypertens. 2011 Jul 14. doi: 10.1038/ajh.2011.116. [Epub

Images




Blot analysis of MEOX2 expression in Raw 264.7 ((Cat # AT2846a)






MEOX2 monoclonal antibody (M03), clone 6A5. Western Blot analysis of MEOX2 expression in NIH/3T3 ((Cat # AT2846a)




Western Blot analysis of MEOX2 expression in transfected 293T cell line by MEOX2 monoclonal antibody (M03), clone 6A5.

Lane 1: MEOX2 transfected lysate(33 KDa).


Lane 2: Non-transfected lysate.



Immunoperoxidase of monoclonal antibody to MEOX2 on formalin-fixed paraffin-embedded human kidney. [antibody concentration 1 ug/ml]



Immunofluorescence of monoclonal antibody to MEOX2 on HeLa cell. [antibody concentration 10 ug/ml]



Detection limit for recombinant GST tagged MEOX2 is approximately 0.3ng/ml as a capture antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.