

# MGRN1 Antibody (monoclonal) (M07)

Mouse monoclonal antibody raised against a partial recombinant MGRN1. Catalog # AT2867a

### **Product Information**

ApplicationWB, IFPrimary AccessionO60291Other AccessionNM\_015246ReactivityHumanHostmouseClonalitymonoclonalIsotypeIgG2a Kappa

Clone Names 30 Calculated MW 60753

### **Additional Information**

**Gene ID** 23295

Other Names E3 ubiquitin-protein ligase MGRN1, 632-, Mahogunin RING finger protein 1,

RING finger protein 156, MGRN1, KIAA0544, RNF156

Target/Specificity MGRN1 (NP\_056061, 477 a.a. ~ 576 a.a) partial recombinant protein with GST

tag. MW of the GST tag alone is 26 KDa.

**Dilution** WB~~1:500~1000 IF~~1:50~200

**Format** Clear, colorless solution in phosphate buffered saline, pH 7.2.

**Storage** Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

**Precautions** MGRN1 Antibody (monoclonal) (M07) is for research use only and not for use

in diagnostic or therapeutic procedures.

## **Background**


Mahogunin (MGRN1) is a C3HC4 RING-containing protein with E3 ubiquitin ligase activity in vitro.

### References


Personalized smoking cessation: interactions between nicotine dose, dependence and quit-success genotype score. Rose JE, et al. Mol Med, 2010 Jul-Aug. PMID 20379614.Mahogunin ring finger-1 (MGRN1) E3 ubiquitin ligase inhibits signaling from melanocortin receptor by competition with Galphas. P?rez-Oliva AB, et al. J Biol Chem, 2009 Nov 13. PMID 19737927.Functional depletion of mahogunin by cytosolically exposed prion protein contributes to neurodegeneration. Chakrabarti O, et al. Cell, 2009 Jun 12. PMID

19524515.Pigmentation-related genes and their implication in malignant melanoma susceptibility. Fernandez LP, et al. Exp Dermatol, 2009 Jul. PMID 19320733.Toward a confocal subcellular atlas of the human proteome. Barbe L, et al. Mol Cell Proteomics, 2008 Mar. PMID 18029348.

### **Images**



Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (36.74 KDa) .



Western Blot analysis of MGRN1 expression in transfected 293T cell line by MGRN1 monoclonal antibody (M07), clone 3E1.

Lane 1: MGRN1 transfected lysate(63.2 KDa). Lane 2: Non-transfected lysate.



Immunofluorescence of monoclonal antibody to MGRN1 on HeLa cell . [antibody concentration 10 ug/ml]

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.