

OPRL1 Antibody (monoclonal) (M02)

Mouse monoclonal antibody raised against a partial recombinant OPRL1. Catalog # AT3151a

Product Information

Application E

Primary Accession
Other Accession
Reactivity
Human
Host
Clonality
Isotype
P41146
BC038433
Human
mouse
IgG2a Kappa

Clone Names 2A11 Calculated MW 40693

Additional Information

Gene ID 4987

Other Names Nociceptin receptor, Kappa-type 3 opioid receptor, KOR-3, Orphanin FQ

receptor, OPRL1, OOR, ORL1

Target/Specificity OPRL1 (AAH38433, 110 a.a. ~ 212 a.a) partial recombinant protein with GST

tag. MW of the GST tag alone is 26 KDa.

Dilution E~~N/A

Format Clear, colorless solution in phosphate buffered saline, pH 7.2.

Storage Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions OPRL1 Antibody (monoclonal) (M02) is for research use only and not for use

in diagnostic or therapeutic procedures.


Background

The protein encoded by this gene is a G protein-coupled receptor whose expression can be induced by phytohemagglutinin. The encoded integral membrane protein is a receptor for the 17 aa neuropeptide nociceptin/orphanin FQ. This gene may be involved in the regulation of numerous brain activities, particularly instinctive and emotional behaviors. A promoter for this gene also functions as a promoter for another gene, regulator of G-protein signalling 19 (RGS19), located on the opposite strand. Two transcript variants encoding the same protein have been found for this gene.

References

A Pilot Study of Gene/Gene and Gene/Environment Interactions in Alzheimer Disease. Ghebranious N, et al. Clin Med Res, 2010 Aug 3. PMID 20682755. Evidence for association of two variants of the nociceptin/orphanin FQ receptor gene OPRL1 with vulnerability to develop opiate addiction in Caucasians. Briant JA, et al. Psychiatr Genet, 2010 Apr. PMID 20032820. Genetical genomic determinants of alcohol consumption in rats and humans. Tabakoff B, et al. BMC Biol, 2009 Oct 27. PMID 19874574. Expression of pronociceptin and its receptor is downregulated in the brain of human alcoholics. Kuzmin A, et al. Brain Res, 2009 Dec 11. PMID 19501074. A common variant in DRD3 receptor is associated with autism spectrum disorder. de Krom M, et al. Biol Psychiatry, 2009 Apr 1. PMID 19058789.

Images



Detection limit for recombinant GST tagged OPRL1 is approximately 3ng/ml as a capture antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.