

PGGT1B Antibody (monoclonal) (M02)

42368

Mouse monoclonal antibody raised against a partial recombinant PGGT1B. Catalog # AT3281a

Product Information

Application WB, IHC, IF, E **Primary Accession** P53609 Other Accession NM 005023 Reactivity Human, Rat Host mouse Clonality monoclonal Isotype IgG2a Kappa **Clone Names** 5E5

Additional Information

Calculated MW

Gene ID 5229

Other Names Geranylgeranyl transferase type-1 subunit beta, Geranylgeranyl transferase

type I subunit beta, GGTase-I-beta, Type I protein geranyl-geranyltransferase

subunit beta, PGGT1B

Target/Specificity PGGT1B (NP_005014, 1 a.a. ~ 105 a.a) partial recombinant protein with GST

tag. MW of the GST tag alone is 26 KDa.

Dilution WB~~1:500~1000 IHC~~1:100~500 IF~~1:50~200 E~~N/A

Format Clear, colorless solution in phosphate buffered saline, pH 7.2.

Storage Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions PGGT1B Antibody (monoclonal) (M02) is for research use only and not for use

in diagnostic or therapeutic procedures.


Background

Protein geranylgeranyltransferase type I (GGTase-I) transfers a geranylgeranyl group to the cysteine residue of candidate proteins containing a C-terminal CAAX motif in which 'A' is an aliphatic amino acid and 'X' is leucine (summarized by Zhang et al., 1994 [PubMed 8106351]). The enzyme is composed of a 48-kD alpha subunit (FNTA; MIM 134635) and a 43-kD beta subunit, encoded by the PGGT1B gene. The FNTA gene encodes the alpha subunit for both GGTase-I and the related enzyme farnesyltransferase.


References


1.Genetic studies on the functional relevance of the protein prenyltransferases in skin keratinocytes.Lee R, Chang SY, Trinh H, Tu Y, White AC, Davies BS, Bergo MO, Fong LG, Lowry WE, Young SG.Hum Mol Genet. 2010 Feb 11. [Epub ahead of print]

Images



Immunofluorescence of monoclonal antibody to PGGT1B on HeLa cell. [antibody concentration 10 ug/ml]





Detection limit for recombinant GST tagged PGGT1B is approximately 1ng/ml as a capture antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.