

PKP4 Antibody (monoclonal) (M02)

Mouse monoclonal antibody raised against a partial recombinant PKP4. Catalog # AT3324a

Product Information

Application WB, E **Primary Accession** Q99569

Other Accession NM 001005476

Reactivity Human
Host mouse
Clonality monoclonal
Isotype IgG2a Kappa

Clone Names 1B11 Calculated MW 131868

Additional Information

Gene ID 8502

Other Names Plakophilin-4, p0071, PKP4

Target/Specificity PKP4 (NP_001005476, 12 a.a. ~ 110 a.a) partial recombinant protein with GST

tag. MW of the GST tag alone is 26 KDa.

Dilution WB~~1:500~1000 E~~N/A

Format Clear, colorless solution in phosphate buffered saline, pH 7.2.

Storage Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions PKP4 Antibody (monoclonal) (M02) is for research use only and not for use in

diagnostic or therapeutic procedures.


Background

Armadillo-like proteins are characterized by a series of armadillo repeats, first defined in the Drosophila 'armadillo' gene product, that are typically 42 to 45 amino acids in length. These proteins can be divided into subfamilies based on their number of repeats, their overall sequence similarity, and the dispersion of the repeats throughout their sequences. Members of the p120(ctn)/plakophilin subfamily of Armadillo-like proteins, including CTNND1, CTNND2, PKP1, PKP2, PKP4, and ARVCF. PKP4 may be a component of desmosomal plaque and other adhesion plaques and is thought to be involved in regulating junctional plaque organization and cadherin function. Multiple transcript variants have been found for this gene, but the full-length nature of only two of them have been described so far. These two variants encode distinct isoforms.


References

Personalized smoking cessation: interactions between nicotine dose, dependence and quit-success genotype score. Rose JE, et al. Mol Med, 2010 Jul-Aug. PMID 20379614.Protein p0071, an armadillo plaque protein of adherens junctions, is predominantly expressed in distal renal tubules. Walter B, et al. Histochem Cell Biol, 2010 Jan. PMID 19830446.PDZ-domain-directed basolateral targeting of the peripheral membrane protein FRMPD2 in epithelial cells. Stenzel N, et al. J Cell Sci, 2009 Sep 15. PMID 19706687.Targeting of p0071 to the midbody depends on KIF3. Keil R, et al. J Cell Sci, 2009 Apr 15. PMID 19339549.Large-scale structural analysis of the classical human protein tyrosine phosphatome. Barr AJ, et al. Cell, 2009 Jan 23. PMID 19167335.

Images



Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (36.63 KDa) .



Detection limit for recombinant GST tagged PKP4 is approximately 3ng/ml as a capture antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.