10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

RPS2 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a partial recombinant RPS2.
Catalog # AT3714a

Product Information

Application	WB, IHC, IF, E
Primary Accession	P15880
Other Accession	NM_002952
Reactivity	Human
Host	mouse
Clonality	monoclonal
Isotype	IgG2a Kappa
Clone Names	3G6
Calculated MW	31324

Additional Information

Gene ID	6187
Other Names	40S ribosomal protein S2, 40S ribosomal protein S4, Protein LLRep3, RPS2, RPS4
Target/Specificity	RPS2 (NP_002943, 198 a.a. ~ 293 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Dilution	WB~~1:500~1000 IHC~~1:100~500 IF~~1:50~200 E~~N/A
Format	Clear, colorless solution in phosphate buffered saline, pH 7.2 .
Storage	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Precautions	RPS2 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.


Background

Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins. This gene encodes a ribosomal protein that is a component of the 40S subunit. The protein belongs to the S5P family of ribosomal proteins. It is located in the cytoplasm. This gene shares sequence similarity with mouse LLRep3. It is co-transcribed with the small nucleolar RNA gene U64, which is located in its third intron. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed through the genome.


References

1.PRMT3 is essential for dendritic spine maturation in rat hippocampal neurons.Miyata S, Mori Y, Tohyama M.Brain Res. 2010 Sep 17;1352C:11-20. Epub 2010 Jul 18.


Images




Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (36.3 KDa) .



RPS2 monoclonal antibody (M01), clone 3G6. Western Blot analysis of RPS2 expression in human liver.




Immunoperoxidase of monoclonal antibody to RPS2 on formalin-fixed paraffin-embedded human esophagus. [antibody concentration 1.2 ug/ml]



Immunofluorescence of monoclonal antibody to RPS2 on HeLa cell . [antibody concentration 10 ug/ml]

Detection limit for recombinant GST tagged RPS2 is approximately 0.03ng/ml as a capture antibody.



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.