10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

SLIT3 Antibody (monoclonal) (M04)

Mouse monoclonal antibody raised against a partial recombinant SLIT3.
Catalog # AT3933a

Product Information

Application	WB, E
Primary Accession	O75094
Other Accession	NM_003062
Reactivity	Human
Host	mouse
Clonality	monoclonal
Isotype	IgG2a Kappa
Clone Names	3C5
Calculated MW	167713


Additional Information

Gene ID	6586
Other Names	Slit homolog 3 protein, Slit-3, Multiple epidermal growth factor-like domains protein 5, Multiple EGF-like domains protein 5, SLIT3, KIAA0814, MEGF5, SLIL2
Target/Specificity	SLIT3 (NP_003053, 1371 a.a. ~ 1470 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Dilution	WB~~1:500~1000 E~~N/A
Format	Clear, colorless solution in phosphate buffered saline, pH 7.2 .
Storage	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Precautions	SLIT3 Antibody (monoclonal) (M04) is for research use only and not for use in diagnostic or therapeutic procedures.


References

Personalized smoking cessation: interactions between nicotine dose, dependence and quit-success genotype score. Rose JE, et al. Mol Med, 2010 Jul-Aug. PMID 20379614.Polymorphisms involved in the miR-218-LAMB3 pathway and susceptibility of cervical cancer, a case-control study in Chinese women. Zhou X, et al. Gynecol Oncol, 2010 May. PMID 20163849.Repulsive axon guidance molecule Slit3 is a novel angiogenic factor. Zhang B, et al. Blood, 2009 Nov 5. PMID 19741192.Coeliac disease-associated risk variants in TNFAIP3 and REL implicate altered NF-kappaB signalling. Trynka G, et al. Gut, 2009 Aug. PMID 19240061.Non-replication of an association of CTNNBL1 polymorphisms and obesity in a population of Central European ancestry. Vogel CI, et al. BMC Med Genet, 2009 Feb 19. PMID 19228371.

Images



Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (36.74 KDa) .



Detection limit for recombinant GST tagged SLIT3 is approximately 0.03ng/ml as a capture antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.