

SP1 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a partial recombinant SP1. Catalog # AT4003a

Product Information

ApplicationWB, IHC, IFPrimary AccessionP08047Other AccessionNM_138473ReactivityHuman, Mouse

Host mouse **Clonality** monoclonal

IsotypeIgGClone Names4H6Calculated MW80693

Additional Information

Gene ID 6667

Other Names Transcription factor Sp1, SP1, TSFP1

Target/Specificity SP1 (NP_612482, 89 a.a. ~ 198 a.a) partial recombinant protein with GST tag.

MW of the GST tag alone is 26 KDa.

Dilution WB~~1:500~1000 IHC~~1:100~500 IF~~1:50~200

Format Clear, colorless solution in phosphate buffered saline, pH 7.2.

Storage Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions SP1 Antibody (monoclonal) (M01) is for research use only and not for use in

diagnostic or therapeutic procedures.


References


Inhibition of NFkappaB and pancreatic cancer cell and tumor growth by curcumin is dependent on specificity protein down-regulation. Jutooru I, et al. J Biol Chem, 2010 Aug 13. PMID 20538607.Sp1 binds to the external promoter of the p73 gene and induces the expression of TAp73gamma in lung cancer. Logotheti S, et al. FEBS J, 2010 Jul. PMID 20528922.Regulation of plasma-membrane-associated sialidase NEU3 gene by Sp1/Sp3 transcription factors. Yamaguchi K, et al. Biochem J, 2010 Aug 15. PMID 20518744.Transcription factor Sp1 regulates expression of cancer-associated molecule CD147 in human lung cancer. Kong LM, et al. Cancer Sci, 2010 Jun. PMID 20384626.HDAC4 inhibits the transcriptional activation of mda-7/IL-24 induced by Sp1. Pan L, et al. Cell Mol Immunol, 2010 May. PMID 20383178.

Images



formalin-fixed paraffin-embedded human endometrium. [antibody concentration 1 ~ 10 ug/ml]





Immunofluorescence of monoclonal antibody to SP1 on HeLa cell. [antibody concentration 10 ug/ml]

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.