10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

SP1 Antibody (monoclonal) (M02)

Mouse monoclonal antibody raised against a partial recombinant SP1.
Catalog # AT4004a

Product Information

Application	WB, IHC, IF, E
Primary Accession	P08047
Other Accession	NM_138473
Reactivity	Human, Mouse
Host	Mouse
Clonality	monoclonal
Isotype	IgG1
Clone Names	1A5
Calculated MW	80693


Additional Information

Gene ID	6667
Other Names	Transcription factor Sp1, SP1, TSFP1
Target/Specificity	SP1 (NP_612482, 89 a.a. ~ 198 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Dilution	WB~~1:500~1000 IHC~~1:100~500 IF~~1:50~200 E~~N/A
Format	Clear, colorless solution in phosphate buffered saline, pH 7.2 .
Storage	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Precautions	SP1 Antibody (monoclonal) (M02) is for research use only and not for use in diagnostic or therapeutic procedures.


References

Inhibition of NFkappaB and pancreatic cancer cell and tumor growth by curcumin is dependent on specificity protein down-regulation. Jutooru I, et al. J Biol Chem, 2010 Aug 13. PMID 20538607.Sp1 binds to the external promoter of the p73 gene and induces the expression of TAp73gamma in lung cancer. Logotheti S, et al. FEBS J, 2010 Jul. PMID 20528922.Regulation of plasma-membrane-associated sialidase NEU3 gene by Sp1/Sp3 transcription factors. Yamaguchi K, et al. Biochem J, 2010 Aug 15. PMID 20518744.Transcription factor Sp1 regulates expression of cancer-associated molecule CD147 in human lung cancer. Kong LM, et al. Cancer Sci, 2010 Jun. PMID 20384626.HDAC4 inhibits the transcriptional activation of mda-7/IL-24 induced by Sp1. Pan L, et al. Cell Mol Immunol, 2010 May. PMID 20383178.


Images




Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (37.84 KDa) .




SP1 monoclonal antibody (M02), clone 1A5 Western Blot analysis of SP1 expression in Hela S3 NE ((Cat # AT4004a)




SP1 monoclonal antibody (M02), clone 1A5. Western Blot analysis of SP1 expression in NIH/3T3 ((Cat # AT4004a)




Immunoperoxidase of monoclonal antibody to SP1 on formalin-fixed paraffin-embedded human endometrium. [antibody concentration 1 ug/ml]



Immunoperoxidase of monoclonal antibody to SP1 on formalin-fixed paraffin-embedded human colon. [antibody concentration 1 ug/ml]



Immunofluorescence of monoclonal antibody to SP1 on HeLa cell. [antibody concentration 10 ug/ml]



Detection limit for recombinant GST tagged SP1 is approximately 0.1ng/ml as a capture antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.