

# SPN Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a full length recombinant SPN. Catalog # AT4026a

### **Product Information**

ApplicationWB, EPrimary AccessionP16150Other AccessionBC012350ReactivityHumanHostmouseClonalitymonoclonalIsotypeIgG2a Kappa

Clone Names 3G8
Calculated MW 40322

### **Additional Information**

**Gene ID** 6693

Other Names Leukosialin, Galactoglycoprotein, GALGP, Leukocyte sialoglycoprotein,

Sialophorin, CD43, SPN, CD43

**Target/Specificity** SPN (AAH12350, 1 a.a. ~ 400 a.a) full-length recombinant protein with GST tag.

MW of the GST tag alone is 26 KDa.

**Dilution** WB~~1:500~1000 E~~N/A

**Format** Clear, colorless solution in phosphate buffered saline, pH 7.2.

**Storage** Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

**Precautions** SPN Antibody (monoclonal) (M01) is for research use only and not for use in

diagnostic or therapeutic procedures.

## **Background**

Sialophorin (leukosialin) is a major sialoglycoprotein on the surface of human T lymphocytes, monocytes, granulocytes, and some B lymphocytes, which appears to be important for immune function and may be part of a physiologic ligand-receptor complex involved in T-cell activation.

### References


Binding of the Streptococcus gordonii DL1 surface protein Hsa to the host cell membrane glycoproteins CD11b, CD43, and CD50. Urano-Tashiro Y, et al. Infect Immun, 2008 Oct. PMID 18678668. The cleavage of neutrophil leukosialin (CD43) by cathepsin G releases its extracellular domain and triggers its

intramembrane proteolysis by presenilin/gamma-secretase. Mambole A, et al. J Biol Chem, 2008 Aug 29. PMID 18586676. The selective expression of CD43 in adenoid cystic carcinoma. Seethala RR, et al. Appl Immunohistochem Mol Morphol, 2008 Mar. PMID 18227725. LFA-1-mediated leukocyte adhesion regulated by interaction of CD43 with LFA-1 and CD147. Khunkaewla P, et al. Mol Immunol, 2008 Mar. PMID 17996943. Site-specific morphologic differences in extranodal marginal zone B-cell lymphomas. Rawal A, et al. Arch Pathol Lab Med, 2007 Nov. PMID 17979485.

### **Images**




Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (69.74 KDa).



Western Blot analysis of SPN expression in transfected 293T cell line by SPN monoclonal antibody (M01), clone 3G8.

Lane 1: SPN transfected lysate(59.327 KDa). Lane 2: Non-transfected lysate.



Detection limit for recombinant GST tagged SPN is 0.03 ng/ml as a capture antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.