

# STK33 Antibody (monoclonal) (M07)

Mouse monoclonal antibody raised against a full length recombinant STK33. Catalog # AT4084a

#### **Product Information**

**Application** WB, IHC, IF **Primary Accession** Q9BYT3 **Other Accession** BC031231 Reactivity Human Host mouse Clonality monoclonal Isotype IgG1 Kappa **Clone Names** 3F10 Calculated MW 57831

#### **Additional Information**

**Gene ID** 65975

**Other Names** Serine/threonine-protein kinase 33, STK33

**Target/Specificity** STK33 (AAH31231, 1 a.a. ~ 514 a.a) full-length recombinant protein with GST

tag. MW of the GST tag alone is 26 KDa.

**Dilution** WB~~1:500~1000 IHC~~1:100~500 IF~~1:50~200

**Format** Clear, colorless solution in phosphate buffered saline, pH 7.2.

**Storage** Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

**Precautions** STK33 Antibody (monoclonal) (M07) is for research use only and not for use in

diagnostic or therapeutic procedures.


### References

Evaluating the discriminative power of multi-trait genetic risk scores for type 2 diabetes in a northern Swedish population. Fontaine-Bisson B, et al. Diabetologia, 2010 Oct. PMID 20571754.Six new loci associated with body mass index highlight a neuronal influence on body weight regulation. Willer CJ, et al. Nat Genet, 2009 Jan. PMID 19079261.Toward a confocal subcellular atlas of the human proteome. Barbe L, et al. Mol Cell Proteomics, 2008 Mar. PMID 18029348.Differential expression pattern of the novel serine/threonine kinase, STK33, in mice and men. Mujica AO, et al. FEBS J, 2005 Oct. PMID 16176263.The status, quality, and expansion of the NIH full-length cDNA project: the Mammalian Gene Collection (MGC). Gerhard DS, et al. Genome Res, 2004 Oct. PMID 15489334.


## **Images**




Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (82.28 KDa).



STK33 monoclonal antibody (M07), clone 3F10 Western Blot analysis of STK33 expression in Jurkat ( (Cat # AT4084a)



Immunoperoxidase of monoclonal antibody to STK33 on formalin-fixed paraffin-embedded human placenta. [antibody concentration 1.5 ug/ml]



Immunofluorescence of monoclonal antibody to STK33 on HeLa cell. [antibody concentration 10 ug/ml]

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.