

# STX4A Antibody (monoclonal) (M02)

Mouse monoclonal antibody raised against a partial recombinant STX4A. Catalog # AT4096a

#### **Product Information**

Application WB, IF, E
Primary Accession Q12846
Other Accession NM\_004604
Reactivity Human, Mouse

HostmouseClonalitymonoclonalIsotypeIgG1 Kappa

Clone Names 6A1 Calculated MW 34180

### **Additional Information**

**Gene ID** 6810

Other Names Syntaxin-4, Renal carcinoma antigen NY-REN-31, STX4, STX4A

**Target/Specificity** STX4A (NP\_004595, 19 a.a. ~ 119 a.a) partial recombinant protein with GST

tag. MW of the GST tag alone is 26 KDa.

**Dilution** WB~~1:500~1000 IF~~1:50~200 E~~N/A

**Format** Clear, colorless solution in phosphate buffered saline, pH 7.2.

**Storage** Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.


**Precautions** STX4A Antibody (monoclonal) (M02) is for research use only and not for use in

diagnostic or therapeutic procedures.


#### References


Syntaxin-4 defines a domain for activity-dependent exocytosis in dendritic spines. Kennedy MJ, et al. Cell, 2010 Apr 30. PMID 20434989.Regulation of the hDlg/hScrib/Hugl-1 tumour suppressor complex. Massimi P, et al. Exp Cell Res, 2008 Nov 1. PMID 18793635.Involvement of Munc18 isoforms in the regulation of granule exocytosis in neutrophils. Brochetta C, et al. Biochim Biophys Acta, 2008 Oct. PMID 18588921.A genome-wide scan for common genetic variants with a large influence on warfarin maintenance dose. Cooper GM, et al. Blood, 2008 Aug 15. PMID 18535201.Toward a confocal subcellular atlas of the human proteome. Barbe L, et al. Mol Cell Proteomics, 2008 Mar. PMID 18029348.

## **Images**



Immunofluorescence of monoclonal antibody to STX4 on HeLa cell . [antibody concentration 10 ug/ml]





Detection limit for recombinant GST tagged STX4A is approximately 1ng/ml as a capture antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.