

SUPT5H Antibody (monoclonal) (M04)

Mouse monoclonal antibody raised against a partial recombinant SUPT5H. Catalog # AT4110a

Product Information

Application WB, IF, E
Primary Accession O00267
Other Accession BC024203
Reactivity Human
Host mouse
Clonality monoclonal
Isotype IgG2b Kappa

Clone Names 1G3 Calculated MW 121000

Additional Information

Gene ID 6829

Other Names Transcription elongation factor SPT5, hSPT5, DRB sensitivity-inducing factor

160 kDa subunit, DSIF p160, DRB sensitivity-inducing factor large subunit, DSIF large subunit, Tat-cotransactivator 1 protein, Tat-CT1 protein, SUPT5H,

SPT5, SPT5H

Target/Specificity SUPT5H (AAH24203, 981 a.a. ~ 1087 a.a) partial recombinant protein with GST

tag. MW of the GST tag alone is 26 KDa.

Dilution WB~~1:500~1000 IF~~1:50~200 E~~N/A

Format Clear, colorless solution in phosphate buffered saline, pH 7.2.

Storage Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.


Precautions SUPT5H Antibody (monoclonal) (M04) is for research use only and not for use

in diagnostic or therapeutic procedures.

References

DSIF, the Paf1 complex, and Tat-SF1 have nonredundant, cooperative roles in RNA polymerase II elongation. Chen Y, et al. Genes Dev, 2009 Dec 1. PMID 19952111.Crystal structure of the human transcription elongation factor DSIF hSpt4 subunit in complex with the hSpt5 dimerization interface. Wenzel S, et al. Biochem J, 2009 Dec 23. PMID 19860741.Repression of RNA polymerase II elongation in vivo is critically dependent on the C-terminus of Spt5. Chen H, et al. PLoS One, 2009 Sep 9. PMID 19742326.Role of human transcription elongation factor DSIF in the suppression of senescence and apoptosis. Komori T, et al. Genes Cells, 2009 Mar. PMID 19210550.Interplay between E-box and NF-kappaB in regulation of A20 gene by DRB


Images




Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (37.51 KDa).



SUPT5H monoclonal antibody (M04), clone 1G3 Western Blot analysis of SUPT5H expression in Hela S3 NE ((Cat # AT4110a)



Immunofluorescence of monoclonal antibody to SUPT5H on HeLa cell. [antibody concentration 10 ug/ml]



Detection limit for recombinant GST tagged SUPT5H is approximately 1ng/ml as a capture antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.