10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

T Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a partial recombinant T.
Catalog # AT4130a

Product Information

Application	WB, E
Primary Accession	O15178
Other Accession	NM_003181
Reactivity	Human
Host	mouse
Clonality	monoclonal
Isotype	IgG2a Kappa
Clone Names	5H8
Calculated MW	47443

Additional Information

Gene ID	6862
Other Names	Brachyury protein, Protein T, T
Target/Specificity	T (NP_003172, 222 a.a. ~ 320 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Dilution	WB~~1:500~1000 E~~N/A
Format	Clear, colorless solution in phosphate buffered saline, pH 7.2 .
Storage	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Precautions	T Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.

Background


The protein encoded by this gene is an embryonic nuclear transcription factor that binds to a specific DNA element, the palindromic T-site. It binds through a region in its N-terminus, called the T-box, and effects transcription of genes required for mesoderm formation and differentiation. The protein is localized to notochord-derived cells.

References


Revisiting chordoma with brachyury, a new age marker: analysis of a validation study on 51 cases. Jambhekar NA, et al. Arch Pathol Lab Med, 2010 Aug. PMID 20670140.Generalist genes analysis of DNA markers associated with mathematical ability and disability reveals shared influence across ages and

abilities. Docherty SJ, et al. BMC Genet, 2010 Jul 5. PMID 20602751.T (brachyury) gene duplication confers major susceptibility to familial chordoma. Yang XR, et al. Nat Genet, 2009 Nov. PMID 19801981.Brachyury, SOX-9, and podoplanin, new markers in the skull base chordoma vs chondrosarcoma differential: a tissue microarray-based comparative analysis. Oakley GJ, et al. Mod Pathol, 2008 Dec. PMID 18820665.Mesp1 acts as a master regulator of multipotent cardiovascular progenitor specification. Bondue A, et al. Cell Stem Cell, 2008 Jul 3. PMID 18593560.

Images




Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (36.63 KDa) .




Western Blot analysis of T expression in transfected 293T cell line by T monoclonal antibody (M01), clone 5H8.

Lane 1: T transfected lysate(41.1 KDa).
Lane 2: Non-transfected lysate.



Detection limit for recombinant GST tagged T is approximately 0.03ng/ml as a capture antibody.



Western blot analysis of T over-expressed 293 cell line, cotransfected with T Validated Chimera RNAi ((Cat # AT4130a)

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.