

TCEAL1 Antibody (monoclonal) (M20)

Mouse monoclonal antibody raised against a partial recombinant TCEAL1. Catalog # AT4178a

### **Product Information**

**Application** WB, E **Primary Accession** Q15170

Other Accession NM 001006639

Reactivity Human
Host mouse
Clonality monoclonal
Isotype IgG2a Kappa

Clone Names 2B5 Calculated MW 18641

#### **Additional Information**

**Gene ID** 9338

Other Names Transcription elongation factor A protein-like 1, TCEA-like protein 1, Nuclear

phosphoprotein p21/SIIR, Transcription elongation factor S-II protein-like 1,

TCEAL1, SIIR

Target/Specificity TCEAL1 (NP\_001006640.1, 1 a.a. ~ 100 a.a) partial recombinant protein with

GST tag. MW of the GST tag alone is 26 KDa.

**Dilution** WB~~1:500~1000 E~~N/A

**Format** Clear, colorless solution in phosphate buffered saline, pH 7.2.

**Storage** Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

**Precautions** TCEAL1 Antibody (monoclonal) (M20) is for research use only and not for use

in diagnostic or therapeutic procedures.


# **Background**

This gene encodes a member of the transcription elongation factor A (SII)-like (TCEAL) gene family. Members of this family may function as nuclear phosphoproteins that modulate transcription in a promoter context-dependent manner. The encoded protein is similar to transcription elongation factor A/transcription factor SII and contains a zinc finger-like motif as well as a sequence related to the transcription factor SII Pol II-binding region. It may exert its effects via protein-protein interactions with other transcriptional regulators rather than via direct binding of DNA. Multiple family members are located on the X chromosome. Alternative splicing results in multiple transcript variants encoding a single isoform.


### References

Defining the human deubiquitinating enzyme interaction landscape. Sowa ME, et al. Cell, 2009 Jul 23. PMID 19615732.Polymorphisms in cell cycle regulatory genes, urinary arsenic profile and urothelial carcinoma. Chung CJ, et al. Toxicol Appl Pharmacol, 2008 Oct 15. PMID 18640142.Large-scale mapping of human protein-protein interactions by mass spectrometry. Ewing RM, et al. Mol Syst Biol, 2007. PMID 17353931.Polymorphisms of p53 and p21 genes in chronic obstructive pulmonary disease. Lee YL, et al. J Lab Clin Med, 2006 May. PMID 16697770.Linking TP53 codon 72 and P21 nt590 genotypes to the development of cervical and ovarian cancer. Santos AM, et al. Eur J Cancer, 2006 May. PMID 16542834.

## **Images**




Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (36.74 KDa) .



Western Blot analysis of TCEAL1 expression in transfected 293T cell line by TCEAL1 monoclonal antibody (M20), clone 2B5.

Lane 1: TCEAL1 transfected lysate(18.6 KDa). Lane 2: Non-transfected lysate.



Detection limit for recombinant GST tagged TCEAL1 is approximately 3ng/ml as a capture antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.