

# TFF1 Antibody (monoclonal) (M02)

Mouse monoclonal antibody raised against a full length recombinant TFF1. Catalog # AT4221a

# **Product Information**

Application	WB, E
Primary Accession	<u>P04155</u>
Other Accession	<u>BC032811</u>
Reactivity	Human
Host	mouse
Clonality	monoclonal
Isotype	IgG1 Kappa
Clone Names	3H5
Calculated MW	9150

## **Additional Information**

Gene ID	7031
Other Names	Trefoil factor 1, Breast cancer estrogen-inducible protein, PNR-2, Polypeptide P1A, hP1A, Protein pS2, TFF1, BCEI, PS2
Target/Specificity	TFF1 (AAH32811.1, 1 a.a. ~ 84 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Dilution	WB~~1:500~1000 E~~N/A
Format	Clear, colorless solution in phosphate buffered saline, pH 7.2 .
Storage	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Precautions	TFF1 Antibody (monoclonal) (M02) is for research use only and not for use in diagnostic or therapeutic procedures.

# Background

Members of the trefoil family are characterized by having at least one copy of the trefoil motif, a 40-amino acid domain that contains three conserved disulfides. They are stable secretory proteins expressed in gastrointestinal mucosa. Their functions are not defined, but they may protect the mucosa from insults, stabilize the mucus layer, and affect healing of the epithelium. This gene, which is expressed in the gastric mucosa, has also been studied because of its expression in human tumors. This gene and two other related trefoil family member genes are found in a cluster on chromosome 21.

## References

1.CRK7 modifies the MAPK pathway and influences the response to endocrine therapy.Iorns E, Martens-de Kemp SR, Lord CJ, Ashworth A.Carcinogenesis. 2009 Oct;30(10):1696-701. Epub 2009 Aug 3.



#### Images



Detection limit for recombinant GST tagged TFF1 is approximately 0.3ng/ml as a capture antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.