

TRIM23 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a partial recombinant TRIM23. Catalog # AT4343a

Product Information

ApplicationWB, EPrimary AccessionP36406Other AccessionBC022510ReactivityHumanHostmouseClonalitymonoclonalIsotypeIgG2b Kappa

Clone Names 2H4 Calculated MW 64067

Additional Information

Gene ID 373

Other Names E3 ubiquitin-protein ligase TRIM23, 632-, ADP-ribosylation factor

domain-containing protein 1, GTP-binding protein ARD-1, RING finger protein 46, Tripartite motif-containing protein 23, TRIM23, ARD1, ARFD1, RNF46

Target/Specificity TRIM23 (AAH22510, 1 a.a. ~ 110 a.a) partial recombinant protein with GST tag.

MW of the GST tag alone is 26 KDa.

Dilution WB~~1:500~1000 E~~N/A

Format Clear, colorless solution in phosphate buffered saline, pH 7.2.

Storage Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions TRIM23 Antibody (monoclonal) (M01) is for research use only and not for use

in diagnostic or therapeutic procedures.


Background

The protein encoded by this gene is a member of the tripartite motif (TRIM) family. The TRIM motif includes three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a coiled-coil region. This protein is also a member of the ADP ribosylation factor family of guanine nucleotide-binding family of proteins. Its carboxy terminus contains an ADP-ribosylation factor domain and a guanine nucleotide binding site, while the amino terminus contains a GTPase activating protein domain which acts on the guanine nucleotide binding site. The protein localizes to lysosomes and the Golgi apparatus. It plays a role in the formation of intracellular transport vesicles, their movement from one compartment to another, and phopholipase D activation. Three alternatively spliced transcript variants for this gene have been described.


References


1.Polyubiquitin conjugation to NEMO by triparite motif protein 23 (TRIM23) is critical in antiviral defense. Arimoto K, Funami K, Saeki Y, Tanaka K, Okawa K, Takeuchi O, Akira S, Murakami Y, Shimotohno K. Proc Natl Acad Sci U S A. 2010 Sep 7;107(36):15856-61. Epub 2010 Aug 19.

Images



Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (37.84 KDa) .





15-

Detection limit for recombinant GST tagged TRIM23 is approximately 3ng/ml as a capture antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.