

# TRIM36 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a partial recombinant TRIM36.

Catalog # AT4354a

## Product Information

---

<b>Application</b>	WB, IHC, IF, E
<b>Primary Accession</b>	<a href="#">Q9NQ86</a>
<b>Other Accession</b>	<a href="#">NM_018700</a>
<b>Reactivity</b>	Human
<b>Host</b>	mouse
<b>Clonality</b>	monoclonal
<b>Isotype</b>	IgG1 Kappa
<b>Clone Names</b>	2D11
<b>Calculated MW</b>	83013

## Additional Information

---

<b>Gene ID</b>	55521
<b>Other Names</b>	E3 ubiquitin-protein ligase TRIM36, 632-, RING finger protein 98, Tripartite motif-containing protein 36, Zinc-binding protein Rbcc728, TRIM36, RBCC728, RNF98
<b>Target/Specificity</b>	TRIM36 (NP_061170, 391 a.a. ~ 499 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
<b>Dilution</b>	WB~~1:500~1000 IHC~~1:100~500 IF~~1:50~200 E~~N/A
<b>Format</b>	Clear, colorless solution in phosphate buffered saline, pH 7.2 .
<b>Storage</b>	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
<b>Precautions</b>	TRIM36 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.

## Background

---

The protein encoded by this gene is a member of the tripartite motif (TRIM) family. The TRIM motif includes three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a coiled-coil region. Multiple alternatively spliced transcript variants that encode different protein isoforms have been described for this gene.


## References

---


Personalized smoking cessation: interactions between nicotine dose, dependence and quit-success genotype

score. Rose JE, et al. Mol Med, 2010 Jul-Aug. PMID 20379614. TRIM36 interacts with the kinetochore protein CENP-H and delays cell cycle progression. Miyajima N, et al. Biochem Biophys Res Commun, 2009 Apr 10. PMID 19232519. Identification of human HAPRIN potentially involved in the acrosome reaction. Kitamura K, et al. J Androl, 2005 Jul-Aug. PMID 15955891. Cloning and characterisation of the RBCC728/TRIM36 zinc-binding protein from the tumor suppressor gene region at chromosome 5q22.3. Balint I, et al. Gene, 2004 May 12. PMID 15145053. Generation and initial analysis of more than 15,000 full-length human and mouse cDNA sequences. Strausberg RL, et al. Proc Natl Acad Sci U S A, 2002 Dec 24. PMID 12477932.


## Images




Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (37.73 KDa) .




TRIM36 monoclonal antibody (M01), clone 2D11 Western Blot analysis of TRIM36 expression in IMR-32 ( (Cat # AT4354a )



Immunoperoxidase of monoclonal antibody to TRIM36 on formalin-fixed paraffin-embedded human pancreas. [antibody concentration 3 ug/ml]



Immunofluorescence of monoclonal antibody to TRIM36 on HeLa cell. [antibody concentration 10 ug/ml]



Detection limit for recombinant GST tagged TRIM36 is approximately 1 ng/ml as a capture antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.