

USF1 Antibody (monoclonal) (M01)

33538

Mouse monoclonal antibody raised against a full length recombinant USF1. Catalog # AT4476a

Product Information

Application WB, E **Primary Accession** P22415 **Other Accession** BC035505 Reactivity Human Host mouse Clonality monoclonal Isotype IgG1 Kappa **Clone Names** 3F6

Additional Information

Calculated MW

Gene ID 7391

Other Names Upstream stimulatory factor 1, Class B basic helix-loop-helix protein 11,

bHLHb11, Major late transcription factor 1, USF1, BHLHB11, USF

Target/Specificity USF1 (AAH35505, 1 a.a. ~ 310 a.a) full-length recombinant protein with GST

tag. MW of the GST tag alone is 26 KDa.

Dilution WB~~1:500~1000 E~~N/A

Format Clear, colorless solution in phosphate buffered saline, pH 7.2.

Storage Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions USF1 Antibody (monoclonal) (M01) is for research use only and not for use in

diagnostic or therapeutic procedures.


Background

This gene encodes a member of the basic helix-loop-helix leucine zipper family, and can function as a cellular transcription factor. The encoded protein can activate transcription through pyrimidine-rich initiator (Inr) elements and E-box motifs. This gene has been linked to familial combined hyperlipidemia (FCHL). Two transcript variants encoding distinct isoforms have been identified for this gene.


References

1.A role of DNA-PK for the metabolic gene regulation in response to insulin. Wong RH, Chang I, Hudak CS, Hyun S, Kwan HY, Sul HS.Cell. 2009 Mar 20;136(6):1056-72.


Images



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (59.84 KDa).




USF1 monoclonal antibody (M01), clone 3F6 Western Blot analysis of USF1 expression in K-562 ((Cat # AT4476a)



Western Blot analysis of USF1 expression in transfected 293T cell line by USF1 monoclonal antibody (M01), clone 3F6.


Lane 1: USF1 transfected lysate(33.5 KDa). Lane 2: Non-transfected lysate.



Detection limit for recombinant GST tagged USF1 is approximately 0.03ng/ml as a capture antibody.

Recombinant ProteinConcentration(ng/ml)

Western blot analysis of USF1 over-expressed 293 cell line, cotransfected with USF1 Validated Chimera RNAi ((Cat # AT4476a)



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.