

# ZNF202 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a partial recombinant ZNF202.

Catalog # AT4596a

## Product Information

---

|                          |                           |
|--------------------------|---------------------------|
| <b>Application</b>       | WB, IHC, E                |
| <b>Primary Accession</b> | <a href="#">O95125</a>    |
| <b>Other Accession</b>   | <a href="#">NM_003455</a> |
| <b>Reactivity</b>        | Human                     |
| <b>Host</b>              | mouse                     |
| <b>Clonality</b>         | monoclonal                |
| <b>Isotype</b>           | IgG2a Kappa               |
| <b>Clone Names</b>       | 1E10                      |
| <b>Calculated MW</b>     | 74720                     |

## Additional Information


---

|                           |                                                                                                                      |
|---------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>Gene ID</b>            | 7753                                                                                                                 |
| <b>Other Names</b>        | Zinc finger protein 202, Zinc finger protein with KRAB and SCAN domains 10, ZNF202, ZKSCAN10                         |
| <b>Target/Specificity</b> | ZNF202 (NP_003446, 301 a.a. ~ 400 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.  |
| <b>Dilution</b>           | WB~~1:500~1000 IHC~~1:100~500 E~~N/A                                                                                 |
| <b>Format</b>             | Clear, colorless solution in phosphate buffered saline, pH 7.2 .                                                     |
| <b>Storage</b>            | Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.                                             |
| <b>Precautions</b>        | ZNF202 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures. |


## References

---


Variation at the NFATC2 Locus Increases the Risk of Thiazolinedinedione-Induced Edema in the Diabetes REduction Assessment with ramipril and rosiglitazone Medication (DREAM) Study. Bailey SD, et al. Diabetes Care, 2010 Jul 13. PMID 20628086. Gene-centric association signals for lipids and apolipoproteins identified via the HumanCVD BeadChip. Talmud PJ, et al. Am J Hum Genet, 2009 Nov. PMID 19913121. Genomewide association study of movement-related adverse antipsychotic effects. Aberg K, et al. Biol Psychiatry, 2010 Feb 1. PMID 19875103. Integrated associations of genotypes with multiple blood biomarkers linked to coronary heart disease risk. Drenos F, et al. Hum Mol Genet, 2009 Jun 15. PMID 19336475. Functional promoter variant in zinc finger protein 202 predicts severe atherosclerosis and ischemic heart disease. Stene MC, et al. J Am Coll Cardiol, 2008 Jul 29. PMID 18652945.



Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (36.74 KDa) .



Immunoperoxidase of monoclonal antibody to ZNF202 on formalin-fixed paraffin-embedded human prostate. [antibody concentration 3 ug/ml]



Detection limit for recombinant GST tagged ZNF202 is approximately 0.1ng/ml as a capture antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.