

ZNF207 Antibody (monoclonal) (M06)

Mouse monoclonal antibody raised against a partial recombinant ZNF207.

Catalog # AT4602a

Product Information

Application	WB, IHC, IF
Primary Accession	O43670
Other Accession	NM_003457
Reactivity	Human
Host	mouse
Clonality	monoclonal
Isotype	IgG2a Kappa
Clone Names	6D7
Calculated MW	50751


Additional Information

Gene ID	7756
Other Names	BUB3-interacting and GLEBS motif-containing protein ZNF207, BuGZ, Zinc finger protein 207, ZNF207, BUGZ
Target/Specificity	ZNF207 (NP_003448, 1 a.a. ~ 110 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Dilution	WB~~1:500~1000 IHC~~1:100~500 IF~~1:50~200
Format	Clear, colorless solution in phosphate buffered saline, pH 7.2 .
Storage	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Precautions	ZNF207 Antibody (monoclonal) (M06) is for research use only and not for use in diagnostic or therapeutic procedures.


References

Defining the human deubiquitinating enzyme interaction landscape. Sowa ME, et al. Cell, 2009 Jul 23. PMID 19615732. Toward a confocal subcellular atlas of the human proteome. Barbe L, et al. Mol Cell Proteomics, 2008 Mar. PMID 18029348. Nucleolar proteome dynamics. Andersen JS, et al. Nature, 2005 Jan 6. PMID 15635413. The status, quality, and expansion of the NIH full-length cDNA project: the Mammalian Gene Collection (MGC). Gerhard DS, et al. Genome Res, 2004 Oct. PMID 15489334. Transcriptome characterization elucidates signaling networks that control human ES cell growth and differentiation. Brandenberger R, et al. Nat Biotechnol, 2004 Jun. PMID 15146197.


Images



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (37.84 KDa) .




ZNF207 monoclonal antibody (M06), clone 6D7 Western Blot analysis of ZNF207 expression in HeLa S3 NE (Cat # AT4602a)




Western Blot analysis of ZNF207 expression in transfected 293T cell line by ZNF207 monoclonal antibody (M06), clone 6D7.

Lane 1: ZNF207 transfected lysate(49.7 KDa).
Lane 2: Non-transfected lysate.



Immunoperoxidase of monoclonal antibody to ZNF207 on formalin-fixed paraffin-embedded human adrenal gland. [antibody concentration 3 ug/ml]



Immunofluorescence of monoclonal antibody to ZNF207 on HeLa cell. [antibody concentration 10 ug/ml]

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.