10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

NDUFC2 Antibody (N-term)

Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AW5133

Product Information

Application	IHC-P, IF, FC, WB
Primary Accession	O95298
Other Accession	E9PQ53
Reactivity	Human
Predicted	Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	14188
Isotype	Rabbit IgG
Antigen Source	HUMAN

Additional Information

Gene ID	4718
Antigen Region	5-39
Other Names	NADH dehydrogenase [ubiquinone] 1 subunit C2, Complex I-B145b, CI-B145b, Human lung cancer oncogene 1 protein, HLC-1, NADH-ubiquinone oxidoreductase subunit B145b, NDUFC2
Dilution	IHC-P~~1:100~500 IF~~1:25 FC~~1:25 WB~~1:1000
Target/Specificity	This NDUFC2 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 5-39 amino acids from the N-terminal region of human NDUFC2.
Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	NDUFC2 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	NDUFC2 (HGNC:7706)

Function	Accessory subunit of the mitochondrial membrane respiratory chain NADH dehydrogenase (Complex I), that is believed not to be involved in catalysis but required for the complex assembly. Complex I functions in the transfer of electrons from NADH to the respiratory chain. The immediate electron acceptor for the enzyme is believed to be ubiquinone.
Cellular Location	Mitochondrion inner membrane; Single-pass membrane protein; Matrix side


Background

Accessory subunit of the mitochondrial membrane respiratory chain NADH dehydrogenase (Complex I), that is believed not to be involved in catalysis. Complex I functions in the transfer of electrons from NADH to the respiratory chain. The immediate electron acceptor for the enzyme is believed to be ubiquinone.


References

Loeffen J.L.C.M.,et al.Biochem. Biophys. Res. Commun. 253:415-422(1998).
Dai F.Y.,et al.Submitted (AUG-1998) to the EMBL/GenBank/DDBJ databases.
Zhang Q.-H.,et al.Genome Res. 10:1546-1560(2000).
Wiemann S.,et al.Genome Res. 11:422-435(2001).
Kim J.W.,et al.Submitted (APR-2001) to the EMBL/GenBank/DDBJ databases.

Images





Western blot analysis of lysates from Hela cell line,human kidney tissue,HepG2,U-87 MG,U-251 MG cell line (from left to right), using NDUFC2 Antibody (N-term)(Cat. #AW5133). AW5133 was diluted at 1:1000 at each lane. A goat anti-rabbit IgG H&L(HRP) at 1:10000 dilution was used as the secondary antibody.




Flow cytometric analysis of HepG2 cells using NDUFC2 Antibody (N-term)(green, Cat#AW5133) compared to an isotype control of rabbit IgG(blue). AW5133 was diluted at 1:25 dilution. An Alexa Fluor® 488 goat anti-rabbit lgG at 1:400 dilution was used as the secondary antibody.

Fluorescent image of HepG2 cells stained with NDUFC2 Antibody (N-term) (Cat#AW5133). AW5133 was diluted at 1:25 dilution. An Alexa Fluor 488-conjugated goat anti-rabbit lgG at 1:400 dilution was used as the secondary antibody (green). DAPI was used to stain the cell nuclear (blue).





Immunohistochemical analysis of paraffin-embedded H. kidney section using NDUFC2 Antibody (N-term)(Cat#AW5133). AW5133 was diluted at 1:100 dilution. A peroxidase-conjugated goat anti-rabbit IgG at 1:400 dilution was used as the secondary antibody, followed by DAB staining.



Immunohistochemical analysis of paraffin-embedded R. kidney section using NDUFC2 Antibody (N-term)(Cat#AW5133). AW5133 was diluted at 1:100 dilution. A peroxidase-conjugated goat anti-rabbit IgG at 1:400 dilution was used as the secondary antibody, followed by DAB staining.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.