

DANRE hoxc9a Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab)

Catalog # Azb10016a

Product Information

Application	WB, E
Primary Accession	Q9YGS6
Reactivity	Zebrafish
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	29782
Antigen Region	234-260

Additional Information

Other Names	Homeobox protein Hox-C9a, Hox-C9, hoxc9a, hoxc9
Target/Specificity	This DANRE hoxc9a antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 234-260 amino acids from the C-terminal region of DANRE hoxc9a.
Dilution	WB~~1:1000 E~~Use at an assay dependent concentration.
Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	DANRE hoxc9a Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	hoxc9a
Synonyms	hoxc9
Function	Sequence-specific transcription factor which is part of a developmental regulatory system that provides cells with specific positional identities on the anterior-posterior axis.
Cellular Location	Nucleus {ECO:0000255 PROSITE-ProRule:PRU00108}.


Background

Sequence-specific transcription factor which is part of a developmental regulatory system that provides cells with specific positional identities on the anterior-posterior axis (By similarity).


References

Amores A., et al. Science 282:1711-1714(1998).
Corredor-Adamez M., et al. Evol. Dev. 7:362-375(2005).
Prince V.E., et al. Development 125:407-420(1998).

Images



All lanes : Anti-DANRE hoxc9a Antibody (C-term) at 1:1000 dilution Lane 1: Zebrafish muscle lysate Lane 2: Zebrafish lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 30 kDa Blocking/Dilution buffer: 5% NFDM/TBST.



DANRE hoxc9a Antibody (C-term) (Cat. #AzB10016a) western blot analysis in zebra fish brain tissue lysates (35ug/lane). This demonstrates the DANRE hoxc9a antibody detected the DANRE hoxc9a protein (arrow).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.