

## NRG-1β2

Catalog # PVGS1056

## **Product Information**

Primary Accession Q02297-7 Species Human

**Sequence** Ser177-Gln237

**Purity** > 96% as analyzed by SDS-PAGE

> 96% as analyzed by HPLC

**Endotoxin Level** 

**Biological Activity** Fully biologically active when compared to standard. The ED<sub>50</sub> as determined

by a cell proliferation assay using serum free human MCF-7 cells is less than

50.0 ng/ml, corresponding to a specific activity of  $> 2.0 \times 10^4$  IU/mg.

**Expression System** E. coli

Theoretical Molecular Weight 7.0 kDa

**Formulation** Lyophilized from a 0.2 Im filtered solution in 20 mM PB, pH 7.0, containing

0.5 % HAS and 2 % mannitol.

**Reconstitution** It is recommended that this vial be briefly centrifuged prior to opening to

bring the contents to the bottom. Reconstitute the lyophilized powder in sterile distilled water or aqueous buffer containing 0.1 % BSA to a

concentration of 0.1-1.0 mg/ml.

**Storage & Stability** Upon receiving, this product remains stable for up to 6 months at -20°C or

-70°C. Upon reconstitution, the product should be stable for up to 1 week at

2-8°C or up to 3 months at -20°C. Avoid repeated freeze-thaw cycles.

## **Additional Information**

**Target Background** Neuregulin is a signaling protein for ErbB2/ErbB4 receptor heterodimers on

the cardiac muscle cells, playing an important role in heart structure and function through inducing ErbB2/ErbB4 receptor phosphorylation and cardiomyocyte differentiation. Research on molecular level discovered that recombinant neuregulin could make disturbed myocardial cell structure into

order and strengthen the connection between myocardial cells by

intercalated discs re-organization.

## **Protein Information**

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.