10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

KLK-1, His Human

Catalog # PVGS1145

Product Information

Species	Human
Sequence	MWFLVLCLAL SLGGTGAAPP IQSRIVGGWE CEQHSQPWQA ALYHFSTFQC GGILVHRQWV LTAAHCISDN YQLWLGRHNL FDDENTAQFV HVSESFPHPG FNMSLLENHT RQADEDYSHD LMLLRLTEPA DTITDAVKVV ELPTEEPEVG STCLASGWGS IEPENFSFPD DLQCVDLKIL PNDECKKAHV QKVTDFMLCV GHLEGGKDTC VGDSGGPLMC DGVLQGVTSW GYVPCGTPNK PSVAVRVLSY VKWIEDTIAE NSHHHHHH
Purity	>95% by SDS-PAGE and HPLC analyses.
Endotoxin Level	Less than 1 EU/ □g of rHuKLK-1, His as determined by LAL method.
Formulation **Reconstitution**	Lyophilized from a 0.2 □m filtered concentrated solution in PBS, pH 7.4. We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Reconstitute in sterile distilled water or aqueous buffer containing 0.1 % BSA to a concentration of 0.1-1.0 mg/mL. Stock solutions should be apportioned into working aliquots and stored at ≤ -20 °C. Further dilutions should be made in appropriate buffered solutions.

Additional Information

Target Background	Kallikreins are members of a highly conserved serine proteases that are involved in the post-translational modification of many polypeptides, and plays a role in diverse physiological processes. Fifteen kallikreins who seen coding genes are located in a cluster on chromosome 19 have been reported, and growing evidence suggests that many kallikreins are implicated in carcinogens is and some have potential as novel cancer and other disease biomakers. Human kallikrein1(KLK1), also known as tissue kallikrein, is functionally conserved in its capacity to cleave the low molecular weight kininogen to release the vasoactive peptide, Lys-bradykinin which plays a role in regulating vasodilation, blood pressure reduction, smooth muscle relaxation and contraction, pain induction and inflammation.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.