

## Betacellulin

Catalog # PVGS1277

## **Product Information**

Primary Accession P35070
Species Human

Sequence Asp32-Tyr111

**Purity** > 95% as analyzed by SDS-PAGE

**Endotoxin Level** 

**Biological Activity** ED<sub>50</sub> **Expression System** HEK 293

**Formulation** Lyophilized after extensive dialysis against PBS.

**Reconstitution** It is recommended that this vial be briefly centrifuged prior to opening to

bring the contents to the bottom. Reconstitute the lyophilized powder in

ddH<sub>2</sub>O or PBS up to 100 □g/ml.

**Storage & Stability** Upon receiving, this product remains stable for up to 6 months at lower than

-70°C. Upon reconstitution, the product should be stable for up to 1 week at 4°C or up to 3 months at -20°C. For long term storage it is recommended that a carrier protein (example 0.1% BSA) be added. Avoid repeated freeze-thaw

cycles.

## **Additional Information**

Gene ID 685

Other Names Probetacellulin, Betacellulin, BTC, BTC

**Target Background**Betacellulin (BTC) is a member of the EGF family of growth factors that also

includes EGF, TGF- $\alpha$ , Amphiregulin, HB-EGF, Epiregulin, Tomoregulin, Heregulin and Neuregulins. Mature human BTC protein exhibits 80% amino acidsimilarity with mouse BTC protein. BTC is expressed in most tissues including kidney, uterus, liver and pancreas. It is also present in body fluids, including serum, milk, and colostrum. It is synthesized primarily as a

transmembrane precursor, which is then processed to a mature molecule by

proteolytic events. BTC signals through the EGF receptor.

## **Protein Information**

Name BTC

**Function** Growth factor that binds to EGFR, ERBB4 and other EGF receptor family

members. Potent mitogen for retinal pigment epithelial cells and vascular

smooth muscle cells.

**Cellular Location** [Betacellulin]: Secreted, extracellular space.

**Tissue Location** Synthesized in several tissues and tumor cells. Predominantly expressed in

pancreas and small intestine

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.