

HRG1- β 1

Catalog # PVGS1306

Product Information

Primary Accession Species	Q02297-6 Human
Sequence	Ser177-Glu241, expressed with an N-terminal Met
Purity	> 95% as analyzed by SDS-PAGE
Endotoxin Level	
Expression System	E. coli
Formulation	Lyophilized after extensive dialysis against PBS.
Reconstitution	It is recommended that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Reconstitute the lyophilized powder in ddH ₂ O up to 100 μ g/ml.
Storage & Stability	Upon receiving, this product remains stable for up to 6 months at lower than -70°C. Upon reconstitution, the product should be stable for up to 1 week at 4°C or up to 3 months at -20°C. For long term storage it is recommended that a carrier protein (example 0.1% BSA) be added. Avoid repeated freeze-thaw cycles.

Additional Information

Target Background	Heregulin1-Beta1(HRG1-Beta1) is one of the isoforms encoded by Neuregulin (NRG) genes. NRGs are synthesized as large transmembrane precursor proteins, and the NRG family has 4 members and 26 isoforms. These isoforms provide large diversities, including different tissue distribution, variable potencies, and different biological functions. HRG1- β 1 belongs to Type I HRG1, and is expressed in neural tissue, respiratory epithelia, and heart. In vivo, HRG1 binds and activates both ErbB3 and ErbB4, the transmembrane receptor tyrosine kinase, and is involved in the proliferation, differentiation, and survival of cells. Aberrantly produced HRG1 could be used in the constitute activation of the ErbB receptors; therefore, the upregulation of HRG1 contributes to the development of tumors, including breast cancer.
--------------------------	--

Protein Information

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.