

# BMP-3A

Catalog # PVGS1350

## Product Information

---

<b>Primary Accession</b>	<a href="#">P55107</a>
<b>Species</b>	Human
<b>Sequence</b>	MQWDEPRVCS RRYLKVDFAD IGWNEWIISP KSFDAYYCAG ACEFPMPKIV RPSNHATIQS IVRAVGIIIPG IPEPCCVPDK MNSLGVLFLD ENRNVVLKVY PNMSVDTCAC R
<b>Purity</b>	> 95% as analyzed by SDS-PAGE and HPLC.
<b>Endotoxin Level</b>	
<b>Formulation</b>	Lyophilized after extensive dialysis against 4mM HCl.
<b>Reconstitution</b>	Reconstituted in 4mM HCl at 100 µg/mL.

## Additional Information

---

<b>Gene ID</b>	2662
<b>Other Names</b>	Growth/differentiation factor 10, GDF-10, Bone morphogenetic protein 3B, BMP-3B, Bone-inducing protein, BIP, GDF10 ( <a href="#">HGNC:4215</a> ), BMP3B
<b>Target Background</b>	<p>Bone Morphogenetic Protein-3B (BMP-3B) , also known as Growth/Differentiation Factor 10 (GDF-10), is a cytokine belonging to the Transforming Growth Factor <math>\beta</math> (TGF-<math>\beta</math>) superfamily. BMP-3B contains the cystine knot motif shared by other TGF-<math>\beta</math> family members. BMP-3B was originally identified by PCR based on the BMP-3 sequence, and shares 83% identity with BMP-3. BMP-3B and BMP-2 act as mutual antagonists, as they compete for the availability of signaling protein Smad4. In vivo, BMP-3B is highly expressed in brain, lungs, and bone tissues. The functions of BMP-3B include acting as a dorsaling factor in head development, inhibition of adipogenesis in adipocytes, and induction of bone formation. BMP-3B is down-regulated in lung cancer patient samples, indicating its potential antitumor activity.</p> <p>Recombinant human Bone Morphogenetic Protein-3B (rhBMP-3B) produced in E. coli is a disulfide-linked homodimer containing two non-glycosylated polypeptide chains of 111 amino acids each. rhBMP-3B has a molecular mass of 25.1 kDa analyzed by non-reducing SDS-PAGE and is obtained by proprietary chromatographic techniques at .</p>

## Protein Information

---

<b>Name</b>	GDF10 ( <a href="#">HGNC:4215</a> )
-------------	-------------------------------------

<b>Synonyms</b>	BMP3B
<b>Function</b>	Growth factor involved in osteogenesis and adipogenesis. Plays an inhibitory role in the process of osteoblast differentiation via SMAD2/3 pathway. Plays an inhibitory role in the process of adipogenesis.
<b>Cellular Location</b>	Secreted {ECO:0000250 UniProtKB:P97737}.
<b>Tissue Location</b>	Expressed in femur, brain, lung, skeletal muscle, pancreas and testis.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.