

CD8 alpha&beta Heterodimer

Catalog # PVGS1940

Product Information

| | |
|---------------------------------------|--|
| Primary Accession Species | P01731(CD8 alpha)&P10300(CD8 beta) Mouse |
| Sequence | Lys28-Tyr196(CD8 alpha) acidic tail and Leu22-Thr175(CD8 beta) basic tail |
| Purity | > 95% as determined by Bis-Tris PAGE > 95% as determined by HPLC |
| Endotoxin Level | Less than 1EU per μ g by the LAL method. |
| Expression System | HEK293 |
| Theoretical Molecular Weight | 24.80 kDa (CD8 alpha) and 23.17 kDa (CD8 beta) |
| Formulation Reconstitution | Lyophilized from a 0.22 μ m filtered solution in PBS, (pH 7.4). Centrifuge the tube before opening. Reconstituting to a concentration more than 100 μ g/ml is recommended. Dissolve the lyophilized protein in distilled water. |
| Storage & Stability | Upon receiving, the product remains stable up to 6 months at -20 °C or below. Upon reconstitution, the product should be stable for 3 months at -80 °C. Avoid repeated freeze-thaw cycles. |

Additional Information

| | |
|--------------------------|--|
| Target Background | CD8 alpha&beta (CD8 $\alpha\beta$) is a heterodimeric form of CD8. CD8 α is required for surface expression of CD8 β . The extracellular IgV-like domain of CD8 α interacts with the α 3 portion of the class I MHC molecule. CD8 $\alpha\beta$ is expressed on human peripheral T cells and functions as a coreceptor and can greatly increase the sensitivity and breadth of antigen recognition by CD8+ peripheral T cells bearing TCR. |
|--------------------------|--|

Protein Information

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.