

AVPR2 Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP50033

Product Information

Application WB, IF
Primary Accession P30518
Reactivity Human
Host Rabbit
Clonality polyclonal
Calculated MW 40279

Additional Information

Gene ID 554

Other Names Vasopressin V2 receptor, V2R, AVPR V2, Antidiuretic hormone receptor,

Renal-type arginine vasopressin receptor, AVPR2, ADHR, DIR, DIR3, V2R

Dilution WB~~ 1:1000 IF~~1:100

Format Rabbit IgG in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4,

150mM NaCl, 0.09% (W/V) sodium azide and 50% glycerol.

Storage Conditions -20°C

Protein Information

Name AVPR2

Synonyms ADHR, DIR, DIR3, V2R

Function Receptor for arginine vasopressin. The activity of this receptor is mediated

by G proteins which activate adenylate cyclase. Involved in renal water

reabsorption.

Cellular Location Cell membrane; Multi-pass membrane protein

Tissue Location Kidney.


Background

Receptor for arginine vasopressin. The activity of this receptor is mediated by G proteins which activate adenylate cyclase. Involved in renal water reabsorption.


References

Seibold A.,et al.Am. J. Hum. Genet. 51:1078-1083(1992). Birnbaumer M.,et al.Nature 357:333-335(1992). Wildin R.S.,et al.Am. J. Hum. Genet. 55:266-277(1994). Fay M.J.,et al.Peptides 17:477-481(1996). North W.G.,et al.Cancer Res. 58:1866-1871(1998).

Images



Western blot analysis of lysates from Hela, Jurkat cell line (from left to right), using AVPR2 Antibody(G788). G788 was diluted at 1:1000 at each lane. A goat anti-rabbit IgG H&L(HRP) at 1:5000 dilution was used as the secondary antibody. Lysates at 35 ug per lane.



Immunofluorescence analysis of MCF-7 cells, using AVPR2 antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.