10320 Camino Santa Fe, Suite G San Diego, CA 92121 Tel: 858.875.1900 Fax: 858.875.1999



# Anti-ERBB2 / HER2 / CD340 Reference Antibody (timigutuzumab)

**Recombinant Antibody** Catalog # APR10309

## **Product Information**

**Application** FC, Kinetics, Animal Model

**Primary Accession** P04626 Reactivity Human Clonality Monoclonal Isotype IgG1 **Calculated MW** 137910

#### **Additional Information**

Target/Specificity ERBB2 / HER2 / CD340

**Endotoxin** 

Conjugation Unconjugated

**Expression system** CHO Cell

**Format** Purified monoclonal antibody supplied in PBS, pH6.0, without

preservative. This antibody is purified through a protein A column.

#### **Protein Information**

Name ERBB2

**Synonyms** HER2, MLN19, NEU, NGL

**Function** Protein tyrosine kinase that is part of several cell surface receptor

complexes, but that apparently needs a coreceptor for ligand binding. Essential component of a neuregulin-receptor complex, although neuregulins do not interact with it alone. GP30 is a potential ligand for this receptor. Regulates outgrowth and stabilization of peripheral microtubules (MTs). Upon ERBB2 activation, the MEMO1-RHOA-DIAPH1 signaling pathway elicits the phosphorylation and thus the inhibition of GSK3B at cell membrane. This prevents the phosphorylation of APC and CLASP2, allowing its association with the cell membrane. In turn, membrane-bound APC allows the localization of MACF1 to the cell membrane, which is required for

microtubule capture and stabilization.

**Cellular Location** Cell membrane; Single-pass type I membrane protein. Cell projection, ruffle

membrane; Single-pass type I membrane protein. Note=Internalized from the


cell membrane in response to EGF stimulation. [Isoform 2]: Cytoplasm.

Nucleus.


### **Tissue Location**

Expressed in a variety of tumor tissues including primary breast tumors and tumors from small bowel, esophagus, kidney and mouth.

# **Images**



Anti-ERBB2 / HER2 / CD340 Reference Antibody (timigutuzumab) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 90%



The purity of Anti-ERBB2 / HER2 / CD340 Reference Antibody (timigutuzumab)is more than 95% ,determined by SEC-HPLC.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.