

SARS-CoV-2 (COVID-19) Spike S1 Antibody (biotin)

Catalog # ASC12098

Product Information

Application	E
Other Accession	QHD43416
Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Clone Names	S

Additional Information

Gene ID	43740568
Alias Symbol	S
Other Names	SARS-CoV-2 (COVID-19) Spike S1 Antibody (biotin); Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2), Surface Glycoprotein, Spike protein
Reconstitution & Storage	SARS-CoV-2 (COVID-19) Spike S1 Antibody (biotin) can be stored at 4 °C for three months and -20 °C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.
Precautions	SARS-CoV-2 (COVID-19) Spike S1 Antibody (biotin) is for research use only and not for use in diagnostic or therapeutic procedures.

Background

Coronavirus disease 2019 (COVID-19), formerly known as 2019-nCoV acute respiratory disease, is an infectious disease caused by SARS-CoV-2, a virus closely related to the SARS virus (1). The disease is the cause of the 2019–20 coronavirus outbreak (2). The structure of 2019-nCoV consists of the following: a Spike protein (S), hemagglutinin-esterase dimer (HE), a membrane glycoprotein (M), an envelope protein (E) a nucleocapsid protein (N) and RNA. Coronavirus invades cells through Spike (S) glycoproteins, a class I fusion protein. It is the major viral surface protein that coronavirus uses to bind to the human cell surface receptor. It also mediates the fusion of host and viral cell membrane, allowing the virus to enter human cells and begin infection (3). The spike protein is the major target for neutralizing antibodies and vaccine development (4). The protein modeling suggests that there is strong interaction between Spike protein receptor-binding domain and its host receptor angiotensin-converting enzyme 2 (ACE2), which regulate both the cross-species and human-to-human transmissions of COVID-19 (5). The recent study has shown that the SARS-CoV-2 spike protein binds ACE2 with higher affinity than SARS-CoV spike protein (6).

References

Gorbalenya. bioRxiv: 2020.Hui et al. Int J Infect Dis. 2020;91:264-266.Belouzard et al. Viruses. 2012;4(6):1011-33.Lee et al. J Virol. 2006;80(8):4079-87.Wan et al. J Virol. 2020.Wrapp et al. Science. 2020.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.