

WRB Antibody (monoclonal) (M05)

Mouse monoclonal antibody raised against a partial recombinant WRB.
Catalog # AT4543a

Product Information

Application	WB, E
Primary Accession	O00258
Other Accession	NM_004627
Reactivity	Human
Host	mouse
Clonality	monoclonal
Isotype	IgG2a Kappa
Clone Names	4D6
Calculated MW	19780

Additional Information

Gene ID	7485
Other Names	Tail-anchored protein insertion receptor WRB, Congenital heart disease 5 protein, Tryptophan-rich basic protein, WRB, WRB, CHD5
Target/Specificity	WRB (NP_004618, 29 a.a. ~ 101 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Dilution	WB~~1:500~1000 E~~N/A
Format	Clear, colorless solution in phosphate buffered saline, pH 7.2 .
Storage	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Precautions	WRB Antibody (monoclonal) (M05) is for research use only and not for use in diagnostic or therapeutic procedures.

Background


This gene encodes a basic nuclear protein of unknown function. The gene is widely expressed in adult and fetal tissues. Since the region proposed to contain the gene(s) for congenital heart disease (CHD) in Down syndrome (DS) patients has been restricted to 21q22.2-22.3, this gene, which maps to 21q22.3, has a potential role in the pathogenesis of Down syndrome congenital heart disease. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.

References


Replication of previous genome-wide association studies of bone mineral density in premenopausal

American women. Ichikawa S, et al. J Bone Miner Res, 2010 Aug. PMID 20200978. Toward a confocal subcellular atlas of the human proteome. Barbe L, et al. Mol Cell Proteomics, 2008 Mar. PMID 18029348. The status, quality, and expansion of the NIH full-length cDNA project: the Mammalian Gene Collection (MGC). Gerhard DS, et al. Genome Res, 2004 Oct. PMID 15489334. Generation and initial analysis of more than 15,000 full-length human and mouse cDNA sequences. Strausberg RL, et al. Proc Natl Acad Sci U S A, 2002 Dec 24. PMID 12477932. Identification of a transcriptionally active peroxisome proliferator-activated receptor alpha -interacting cofactor complex in rat liver and characterization of PRIC285 as a coactivator. Surapureddi S, et al. Proc Natl Acad Sci U S A, 2002 Sep 3. PMID 12189208.

Images



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (33.77 KDa) .



Detection limit for recombinant GST tagged WRB is approximately 1 ng/ml as a capture antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.